

GLENCORE

Water withdrawal, discharge, use
and consumption by country and
river basin 2022

2022 water withdrawal of our industrial assets by country, river basin and baseline water stress level (ML)¹

| Country | River Basin (major / minor) | Baseline water stress level | # of sites | Surface water | Sea water | Groundwater | Water imported from third parties | Total water Input | Category 1 - Input | Category 2 - Input | Category 3 - Input | OMW Withdrawal - High | OMW Withdrawal - Low |
|-----------|--------------------------------------|-----------------------------|------------|---------------|-----------|-------------|-----------------------------------|-------------------|--------------------|--------------------|--------------------|-----------------------|----------------------|
| Argentina | South America, Colorado / San Juan | Medium - High | 1 | 11 | 0 | 0 | 0 | 11 | 11 | 0 | 0 | 0 | 0 |
| Australia | Australia, East Coast / Burdekin | Low | 2 | 13,609 | 0 | 1,052 | 1,519 | 16,180 | 2,395 | 11,456 | 2,329 | 0 | 0 |
| | Australia, East Coast / Fitzroy | Low - Medium | 1 | 8,326 | 0 | 1,372 | 1,714 | 11,411 | 833 | 7,492 | 3,086 | 0 | 0 |
| | | Medium - High | 1 | 3,869 | 0 | 1,087 | 543 | 5,499 | 603 | 3,850 | 1,046 | 0 | 0 |
| | | High | 1 | 3,832 | 0 | 2,981 | 0 | 6,813 | 710 | 3,875 | 2,229 | 0 | 0 |
| | Australia, East Coast / Hunter | Low - Medium | 8 | 90,640 | 0 | 22,507 | 619 | 113,766 | 10,499 | 84,802 | 18,464 | 4,302 | 0 |
| | Australia, East Coast / Ross | Low - Medium | 1 | 33 | 0 | 54 | 146 | 233 | 146 | 0 | 87 | 229 | 0 |
| | Australia, Interior / Salt Lake | Arid and Low Water Use | 1 | 0 | 0 | 11,935 | 0 | 11,935 | 0 | 0 | 11,935 | 0 | 0 |
| | Australia, North Coast / Leichhardt | High | 7 | 1,019 | 0 | 4,827 | 27,621 | 33,467 | 4,299 | 556 | 28,613 | 0 | 0 |
| | Australia, North Coast / McArthur | Low | 1 | 2,183 | 0 | 3,220 | 0 | 5,403 | 710 | 313 | 4,379 | 0 | 0 |
| | Murray - Darling / Darling | Arid and Low Water Use | 1 | 34 | 0 | 37 | 844 | 915 | 40 | 0 | 875 | 0 | 0 |
| Canada | Hudson Bay Coast / Central Mattagami | Low | 1 | 29,154 | 0 | 200 | 0 | 29,354 | 0 | 29,338 | 16 | 0 | 0 |
| | Hudson Bay Coast / Rio de Puvirnituq | Medium - High | 1 | 2,448 | 0 | 3,684 | 0 | 6,132 | 580 | 0 | 5,552 | 9 | 0 |
| | St Lawrence / Montreal Island | Low | 2 | 4,726 | 0 | 0 | 585 | 5,311 | 1,317 | 3,994 | 0 | 0 | 0 |

| Country | River Basin (major / minor) | Baseline water stress level | # of sites | Surface water | Sea water | Groundwater | Water imported from third parties | Total water Input | Category 1 - Input | Category 2 - Input | Category 3 - Input | OMW Withdrawal - High | OMW Withdrawal - Low |
|------------------------------|--|-----------------------------|------------|---------------|-----------|-------------|-----------------------------------|-------------------|--------------------|--------------------|--------------------|-----------------------|----------------------|
| | St Lawrence / Upper Ottawa / Kinojevis | Low | 1 | 26,820 | 0 | 309 | 649 | 27,777 | 9,111 | 18,021 | 646 | 13 | 0 |
| | St Lawrence / Upper St Lawrence / Raisin | Low | 1 | 51,075 | 0 | 638 | 7 | 51,720 | 7 | 51,677 | 36 | 0 | 0 |
| | St Lawrence / Vermilion | Low | 1 | 29,619 | 0 | 617 | 2,706 | 32,942 | 0 | 0 | 32,942 | 0 | 0 |
| | St Lawrence / Wanapitei | Low | 1 | 10,542 | 0 | 7,521 | 244 | 18,308 | 4,397 | 8,519 | 5,392 | 0 | 0 |
| Chile | North Chile, Pacific Coast / Caracoles | Arid and Low Water Use | 1 | 4,611 | 0 | 575 | 0 | 5,186 | 5,186 | 0 | 0 | 0 | 0 |
| | North Chile, Pacific Coast / Negra | Arid and Low Water Use | 1 | 0 | 0 | 593 | 2,553 | 3,145 | 519 | 0 | 2,626 | 0 | 0 |
| Colombia | Caribbean Coast / Colombia North Caribbean Sea Coast | Low | 1 | 338 | 0 | 31 | 0 | 369 | 0 | 369 | 0 | 0 | 0 |
| | | Medium - High | 1 | 16,187 | 910 | 490 | 0 | 17,586 | 1,297 | 7,667 | 8,622 | 0 | 0 |
| | Magdalena / Cesar | Low | 1 | 9,831 | 0 | 2,955 | 0 | 12,787 | 0 | 12,787 | 0 | 0 | 0 |
| | Magdalena / Magdalena 1 | Low | 1 | 12,162 | 0 | 941 | 0 | 13,103 | 0 | 13,103 | 0 | 0 | 0 |
| Democratic Republic of Congo | Congo / Lulaba 3 | Low | 2 | 1,239 | 0 | 77,017 | 0 | 78,256 | 76,644 | 622 | 991 | 0 | 0 |
| England | England and Wales / Thames Delta | Medium - High | 1 | 26 | 0 | 0 | 34 | 60 | 60 | 0 | 0 | 0 | 0 |
| Germany | Ems - Weser / Weser Delta | High | 2 | 10,118 | 0 | 44 | 994 | 11,155 | 10,268 | 844 | 44 | 0 | 0 |
| Italy | Mediterranean Sea Islands / Mannu | Extremely High | 1 | 2,513 | 0 | 399 | 2 | 2,914 | 2 | 2,761 | 151 | 0 | 0 |
| | Mediterranean Sea Islands / Tirso | Extremely High | 1 | 22 | 0 | 27 | 8 | 58 | 8 | 49 | 0 | 0 | 0 |
| Kazakhstan | Ob / Irtys | Low | 14 | 18,923 | 0 | 41,951 | 22,791 | 83,666 | 25,184 | 16,983 | 41,498 | 0 | 0 |
| | | High | 1 | 6,408 | 0 | 1,217 | 0 | 7,625 | 7,380 | 0 | 245 | 0 | 0 |

| Country | River Basin (major / minor) | Baseline water stress level | # of sites | Surface water | Sea water | Groundwater | Water imported from third parties | Total water Input | Category 1 - Input | Category 2 - Input | Category 3 - Input | OMW Withdrawal - High | OMW Withdrawal - Low |
|--------------------------|---|-----------------------------|------------|---------------|-----------|-------------|-----------------------------------|-------------------|--------------------|--------------------|--------------------|-----------------------|----------------------|
| | Syr Darya / Sarysu | Low - Medium | 1 | 134 | 0 | 11,592 | 393 | 12,120 | 12,119 | 0 | 0 | 0 | 0 |
| New Caledonia | South Pacific Islands / New Caledonia | Low | 1 | 301 | 17,982 | 118 | 0 | 18,401 | 419 | 17,982 | 0 | 0 | 0 |
| Norway | Scandinavia, North Coast / West Norway Coast | Low | 1 | 37 | 23,528 | 0 | 1,258 | 24,824 | 1,258 | 23,566 | 0 | 0 | 0 |
| Peru | Amazon / Apurimac | Medium - High | 1 | 2,178 | 0 | 35,843 | 424 | 38,445 | 424 | 2,178 | 35,843 | 0 | 0 |
| | Amazon / Mantaro | Low - Medium | 9 | 46,582 | 0 | 85,405 | 1,355 | 133,343 | 7,377 | 49,847 | 76,118 | 0 | 0 |
| | Peru, Pacific Coast / Lima Coast | Low | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 89 | 0 |
| Philippines | Philippines / Visayan Islands | Low | 1 | 216 | 72,883 | 0 | 2,871 | 75,969 | 2 | 73,099 | 2,869 | 0 | 0 |
| South Africa | Limpopo / Elefantas | High | 10 | 14,673 | 0 | 20,746 | 1,145 | 36,563 | 1,465 | 2,410 | 32,688 | 0 | 0 |
| | Limpopo / Krokodil | High | 8 | 3,464 | 0 | 1,787 | 2,031 | 7,281 | 3,599 | 3,488 | 194 | 0 | 0 |
| | South Africa, West Coast / Groot Berg | Extremely High | 1 | 0 | 0 | 0 | 206 | 206 | 206 | 0 | 0 | 0 | 0 |
| Spain | Spain - Portugal, Atlantic Coast / Northern Spain Coast | Medium - High | 4 | 3,739 | 50,691 | 285 | 59 | 54,775 | 52,919 | 1,598 | 257 | 0 | 0 |
| United States of America | Atlantic Ocean Seaboard / Blackstone | Medium - High | 1 | 2 | 0 | 0 | 0 | 2 | 1 | 1 | 0 | 0 | 0 |
| | California / Coyote | Low | 1 | 2 | 0 | 0 | 1 | 3 | 3 | 0 | 0 | 0 | 0 |
| Zambia | Zambezi / Kafue 1 | Medium - High | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

2022 water discharge of industrial assets by country, river basin and baseline water stress level (ML)¹

| Country | River Basin (major / minor) | Baseline water stress level | # of sites | Discharge to surface water | Discharge to sea water / ocean | Discharge to groundwater | Water exported to third parties | Total water discharged | Category 1 - Output | Category 2 - Output | Category 3 - Output |
|---------------|--------------------------------------|-----------------------------|------------|----------------------------|--------------------------------|--------------------------|---------------------------------|------------------------|---------------------|---------------------|---------------------|
| Argentina | South America, Colorado / San Juan | Medium - High | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Australia (N) | Australia, East Coast / Burdekin | Low | 2 | 62 | 0 | 0 | 0 | 62 | 0 | 62 | 2,324 |
| | Australia, East Coast / Fitzroy | Low - Medium | 1 | 1,725 | 0 | 0 | 0 | 1,725 | 0 | 1,725 | 2,725 |
| | | Medium - High | 1 | 228 | 0 | 5 | 356 | 590 | 0 | 578 | 1,617 |
| | | High | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2,229 |
| | Australia, East Coast / Hunter | Low - Medium | 8 | 45,123 | 0 | 0 | 6,917 | 52,040 | 0 | 41,870 | 21,800 |
| | Australia, East Coast / Ross | Low - Medium | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Australia, Interior / Salt Lake | Arid and Low Water Use | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Australia, North Coast / Leichhardt | High | 7 | 0 | 0 | 1,131 | 17,222 | 18,353 | 35 | 0 | 25,893 |
| | Australia, North Coast / McArthur | Low | 1 | 311 | 0 | 0 | 0 | 311 | 311 | 0 | 776 |
| | Murray - Darling / Darling | Arid and Low Water Use | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Canada | Hudson Bay Coast / Central Mattagami | Low | 1 | 26,269 | 0 | 0 | 36 | 26,305 | 0 | 26,293 | 24 |
| | Hudson Bay Coast / Rio de Puvirnituk | Medium - High | 1 | 2,222 | 2 | 0 | 0 | 2,224 | 2,224 | 0 | 126 |
| | St Lawrence / Montreal Island | Low | 2 | 0 | 0 | 0 | 5,310 | 5,310 | 7 | 5,303 | 0 |

| Country | River Basin (major / minor) | Baseline water stress level | # of sites | Discharge to surface water | Discharge to sea water / ocean | Discharge to groundwater | Water exported to third parties | Total water discharged | Category 1 - Output | Category 2 - Output | Category 3 - Output |
|------------------------------|--|-----------------------------|------------|----------------------------|--------------------------------|--------------------------|---------------------------------|------------------------|---------------------|---------------------|---------------------|
| | St Lawrence / Upper Ottawa / Kinojevis | Low | 1 | 18,806 | 0 | 140 | 98 | 19,044 | 0 | 18,806 | 392 |
| | St Lawrence / Upper St Lawrence / Raisin | Low | 1 | 51,581 | 0 | 0 | 0 | 51,581 | 0 | 51,581 | 38 |
| | St Lawrence / Vermilion | Low | 1 | 8,700 | 0 | 0 | 0 | 8,700 | 0 | 0 | 13,531 |
| | St Lawrence / Wanapitei | Low | 1 | 10,544 | 0 | 0 | 0 | 10,544 | 0 | 10,544 | 91 |
| Chile | North Chile, Pacific Coast / Caracoles | Arid and Low Water Use | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | North Chile, Pacific Coast / Negra | Arid and Low Water Use | 1 | 0 | 0 | 0 | 167 | 167 | 167 | 0 | 398 |
| Colombia | Caribbean Coast / Colombia North Caribbean Sea Coast | Low | 1 | 35 | 0 | 0 | 0 | 35 | 0 | 35 | 0 |
| | | Medium - High | 1 | 3,577 | 589 | 0 | 0 | 4,165 | 3,577 | 0 | 589 |
| | Magdalena / Cesar | Low | 1 | 6,924 | 0 | 164 | 0 | 7,088 | 0 | 7,088 | 0 |
| | Magdalena / Magdalena 1 | Low | 1 | 11,068 | 0 | 1,797 | 0 | 12,864 | 0 | 12,864 | 0 |
| Democratic Republic of Congo | Congo / Lulaba 3 | Low | 2 | 25,061 | 0 | 0 | 0 | 25,061 | 16,751 | 8,309 | 2,783 |
| England | England and Wales / Thames Delta | Medium - High | 1 | 36 | 0 | 0 | 2 | 39 | 2 | 36 | 0 |
| Germany | Ems - Weser / Weser Delta | High | 2 | 9,660 | 0 | 0 | 19 | 9,679 | 9,678 | 1 | 79 |
| Italy | Mediterranean Sea Islands / Mannu | Extremely High | 1 | 0 | 0 | 0 | 1,734 | 1,734 | 0 | 1,734 | 55 |
| | Mediterranean Sea Islands / Tirso | Extremely High | 1 | 41 | 0 | 0 | 3 | 43 | 0 | 43 | 0 |
| Kazakhstan | Ob / Irtysh | Low | 14 | 35,941 | 0 | 0 | 3,837 | 39,778 | 439 | 26,617 | 15,741 |
| | | High | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |

| Country | River Basin (major / minor) | Baseline water stress level | # of sites | Discharge to surface water | Discharge to sea water / ocean | Discharge to groundwater | Water exported to third parties | Total water discharged | Category 1 - Output | Category 2 - Output | Category 3 - Output |
|--------------------------|---|-----------------------------|------------|----------------------------|--------------------------------|--------------------------|---------------------------------|------------------------|---------------------|---------------------|---------------------|
| | Syr Darya / Sarysu | Low - Medium | 1 | 197 | 0 | 0 | 0 | 197 | 197 | 0 | 20 |
| New Caledonia | South Pacific Islands / New Caledonia | Low | 1 | 0 | 18,215 | 0 | 0 | 18,215 | 0 | 18,215 | 0 |
| Norway | Scandinavia, North Coast / West Norway Coast | Low | 1 | 0 | 23,265 | 0 | 27 | 23,293 | 0 | 8,868 | 14,425 |
| Peru | Amazon / Apurimac | Medium - High | 1 | 18,261 | 0 | 0 | 0 | 18,261 | 18,261 | 0 | 0 |
| | Amazon / Mantaro | Low - Medium | 9 | 118,224 | 0 | 0 | 0 | 118,224 | 31,367 | 72,991 | 13,899 |
| | Peru, Pacific Coast / Lima Coast | Low | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Philippines | Philippines / Visayan Islands | Low | 1 | 0 | 73,463 | 0 | 0 | 73,463 | 0 | 73,463 | 187 |
| South Africa | Limpopo / Elefantas | High | 10 | 5,367 | 0 | 0 | 4,650 | 10,017 | 4,237 | 840 | 7,169 |
| | Limpopo / Krokodil | High | 8 | 451 | 0 | 0 | 160 | 610 | 0 | 584 | 412 |
| | South Africa, West Coast / Groot Berg | Extremely High | 1 | 46 | 134 | 0 | 0 | 180 | 180 | 0 | 0 |
| Spain | Spain - Portugal, Atlantic Coast / Northern Spain Coast | Medium - High | 4 | 0 | 52,447 | 0 | 1 | 52,447 | 50,691 | 1,756 | 298 |
| United States of America | Atlantic Ocean Seaboard / Blackstone | Medium - High | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | California / Coyote | Low | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 |
| Zambia | Zambezi / Kafue 1 | Medium - High | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

2022 water use, reuse, recycling, change in storage and efficiency of our industrial assets by country, river basin and baseline water stress level (ML)¹

| Country | River Basin (major / minor) | Baseline water stress level | # of sites | Water used in a task / process | Water recycled | Water reused | Change in water in Storage | Water consumption | Average of Reuse / recycling efficiency |
|---------------|--|-----------------------------|------------|--------------------------------|----------------|--------------|----------------------------|-------------------|---|
| Argentina | South America, Colorado / San Juan | Medium - High | 1 | 0 | 0 | 0 | 0 | 11 | 0% |
| Australia (N) | Australia, East Coast / Burdekin | Low | 2 | 6,825 | 0 | 870 | 1,437 | 14,681 | 9% |
| | Australia, East Coast / Fitzroy | Low - Medium | 1 | 8,328 | 0 | 9,671 | 2,865 | 6,821 | 54% |
| | | Medium - High | 1 | 2,058 | 27 | 411 | -398 | 5,307 | 18% |
| | | High | 1 | 1,205 | 28 | 0 | 2,445 | 4,368 | 2% |
| | Australia, East Coast / Hunter | Low - Medium | 8 | 20,885 | 54 | 5,653 | -1,566 | 63,958 | 15% |
| | Australia, East Coast / Ross | Low - Medium | 1 | 146 | 0 | 0 | 19 | 214 | 0% |
| | Australia, Interior / Salt Lake | Arid and Low Water Use | 1 | 11,938 | 0 | 801 | -3 | 11,938 | 6% |
| | Australia, North Coast / Leichhardt | High | 7 | 29,021 | 44 | 24,552 | 8,218 | 6,896 | 35% |
| | Australia, North Coast / McArthur | Low | 1 | 4,877 | 0 | 280 | -1,575 | 6,667 | 5% |
| | Murray - Darling / Darling | Arid and Low Water Use | 1 | 1,450 | 0 | 185 | 1 | 914 | 11% |
| Canada | Hudson Bay Coast / Central Mattagami | Low | 1 | 5,935 | 11,373 | 311 | 769 | 2,281 | 66% |
| | Hudson Bay Coast / Rio de Puvirnituq | Medium - High | 1 | 4,226 | 0 | 2,367 | -136 | 4,043 | 36% |
| | St Lawrence / Montreal Island | Low | 2 | 4,579 | 383 | 0 | 0 | 0 | 4% |
| | St Lawrence / Upper Ottawa / Kinojevis | Low | 1 | 9,626 | 13,219 | 0 | 0 | 8,733 | 58% |
| | St Lawrence / Upper St | Low | 1 | 51,532 | 0 | 603 | 57 | 81 | 1% |

| Country | River Basin (major / minor) | Baseline water stress level | # of sites | Water used in a task / process | Water recycled | Water reused | Change in water in Storage | Water consumption | Average of Reuse / recycling efficiency |
|------------------------------|--|-----------------------------|------------|--------------------------------|----------------|--------------|----------------------------|-------------------|---|
| | Lawrence / Raisin | | | | | | | | |
| | St Lawrence / Vermilion | Low | 1 | 28,125 | 8,224 | 0 | 0 | 24,242 | 23% |
| | St Lawrence / Wanapitei | Low | 1 | 14,044 | 4,276 | 200 | 0 | 7,764 | 24% |
| Chile | North Chile, Pacific Coast / Caracoles | Arid and Low Water Use | 1 | 5,186 | 86 | 5,580 | 0 | 5,186 | 52% |
| | North Chile, Pacific Coast / Negra | Arid and Low Water Use | 1 | 3,809 | 50 | 649 | 24 | 2,954 | 16% |
| Colombia | Caribbean Coast / Colombia North Caribbean Sea Coast | Low | 1 | 215 | 0 | 111 | 1 | 333 | 34% |
| | | Medium - High | 1 | 9,486 | 0 | 17 | -53,310 | 66,731 | 0% |
| | Magdalena / Cesar | Low | 1 | 1,809 | 4 | 0 | 4,466 | 1,233 | 0% |
| | Magdalena / Magdalena 1 | Low | 1 | 259 | 2 | 0 | 200 | 39 | 1% |
| Democratic Republic of Congo | Congo / Lulaba 3 | Low | 2 | 37,754 | 7,354 | 18,147 | 18 | 53,177 | 46% |
| England | England and Wales / Thames Delta | Medium - High | 1 | 34 | 0 | 0 | 1 | 20 | 0% |
| Germany | Ems - Weser / Weser Delta | High | 2 | 10,182 | 0 | 696 | 3 | 1,474 | 3% |
| Italy | Mediterranean Sea Islands / Mannu | Extremely High | 1 | 2,566 | 644 | 0 | -30 | 1,210 | 20% |
| | Mediterranean Sea Islands / Tirso | Extremely High | 1 | 27 | 0 | 0 | -5 | 19 | 0% |
| Kazakhstan | Ob / Irtysh | Low | 14 | 60,336 | 97,569 | 163,900 | -7,436 | 51,324 | 18% |
| | | High | 1 | 11,992 | 0 | 14,715 | 2,171 | 5,454 | 55% |
| | Syr Darya / Sarysu | Low - Medium | 1 | 8,122 | 0 | 7,301 | 3,787 | 8,135 | 47% |
| New Caledonia | South Pacific Islands / New Caledonia | Low | 1 | 18,075 | 461 | 0 | 0 | 186 | 2% |

| Country | River Basin (major / minor) | Baseline water stress level | # of sites | Water used in a task / process | Water recycled | Water reused | Change in water in Storage | Water consumption | Average of Reuse / recycling efficiency |
|--------------------------|---|-----------------------------|------------|--------------------------------|----------------|--------------|----------------------------|-------------------|---|
| Norway | Scandinavia, North Coast / West Norway Coast | Low | 1 | 24,824 | 0 | 938 | 0 | 1,531 | 4% |
| Peru | Amazon / Apurimac | Medium - High | 1 | 27,168 | 217 | 64,198 | -3,080 | 23,264 | 70% |
| | Amazon / Mantaro | Low - Medium | 9 | 19,065 | 7,628 | 4,322 | 0 | 15,118 | 20% |
| | Peru, Pacific Coast / Lima Coast | Low | 1 | 0 | 0 | 0 | 0 | 0 | 0% |
| Philippines | Philippines / Visayan Islands | Low | 1 | 75,752 | 0 | 0 | 0 | 2,506 | 0% |
| South Africa | Limpopo / Elefantas | High | 10 | 19,562 | 190 | 5,505 | 11,804 | 14,742 | 28% |
| | Limpopo / Krokodil | High | 8 | 6,658 | 384 | 4,369 | -3 | 6,674 | 28% |
| | South Africa, West Coast / Groot Berg | Extremely High | 1 | 0 | 0 | 0 | 0 | 26 | 0% |
| Spain | Spain - Portugal, Atlantic Coast / Northern Spain Coast | Medium - High | 4 | 54,775 | 0 | 2,882 | -13 | 2,340 | 1% |
| United States of America | Atlantic Ocean Seaboard / Blackstone | Medium - High | 1 | 1 | 0 | 0 | 0 | 2 | 0% |
| | California / Coyote | Low | 1 | 0 | 0 | 0 | 0 | 2 | 0% |
| Zambia | Zambezi / Kafue 1 | Medium - High | 1 | 0 | 0 | 0 | 0 | 0 | 0% |

- 1) This table covers data from our industrial assets where we have operational control, excluding the following parts of the Glencore Group where their water-related contribution is immaterial:
- Minor storage units (i.e., silos, warehouses, terminals, etc.) and non-coal port facilities
 - Offices not associated with industrial assets
 - Industrial assets that were not operational or did not report any water data in the reporting period