

Glencore Tailings Storage Facility Register (TSF Register)^{1, 2}



The information in this TSF Register (including but not limited to the facts, figures, accompanying explanations and descriptions) has been prepared by Glencore in good faith and in accordance with the methodology set out on our webpage glencore.com/tailings. It should be read in conjunction with the important notice at the end of our webpage glencore.com/tailings concerning this webpage and with Glencore's approach to tailings management described there. For the definitions of terms used in this TSF Register, refer to the glossary for TSF disclosures on our webpage glencore.com/tailings.

Country	Commodity Department	Site	Name of TSF	Coordinates	Status	Date of Initial Operation	Raising Method	Last Dam Safety Audit	Consequence Classification	Classification System	Planned GISTM Reporting Date	Notes
Australia	Coal	Bulga	NTSF	32°40'04"S, 151°04'30"E	Active	2019	Downstream	KCB, 2022	Low	GISTM	Aug 25	
Australia	Coal	Clermont	Mega Cell 2	22°43'01"S, 147°37'19"E	Inactive (see Notes)	2014	Downstream	KCB, 2022	Significant	GISTM	Aug 25	Tailings deposition has ceased and now takes place in excavated drying cells and dumped in-pit with spoil. Capping will commence in late 2024.
Australia	Coal	Collinsville	Blake A	20°33'50"S, 147°48'39"E	Closed	2009	In-pit TSF	KCB, 2022	Low	GISTM	Aug 25	
Australia	Coal	Collinsville	Blake Central	20°33'14"S, 147°47'52"E	Active	2003	In-pit TSF	KCB, 2022	Low	GISTM	Aug 25	
Australia	Coal	Collinsville	Blake Central North	20°32'52"S, 147°47'38"E	Active	2011	In-pit TSF	KCB, 2022	Low	GISTM	Aug 25	
Australia	Coal	Hail Creek	Hail Creek TSF 1	21°29'49"S, 148°22'51"E	Active	2010	Downstream	KCB, 2022	High	GISTM	Aug 25	
Australia	Coal	Hail Creek	Hail Creek TSF 2	21°31'42"S, 148°24'56"E	Active	2023	In-pit TSF	KCB, 2022	Low	GISTM	Aug 25	
Australia	Coal	Liddell	Durham Tailings	32°22'08"S, 151°00'43"E	Closed	2013	In-pit TSF	KCB, 2022	Low	GISTM	Aug 25	
Australia	Coal	Liddell	Reservoir South	32°22'19"S, 151°01'40"E	Closed	2009	In-pit TSF	KCB, 2022	Low	GISTM	Aug 25	
Australia	Coal	Liddell	Reservoir West	32°22'04"S, 151°01'22"E	Closed	2009	In-pit TSF	KCB, 2022	Low	GISTM	Aug 25	
Australia	Coal	Mangoola	TD1	32°17'42"S, 150°41'34"E	Closed	2011	Centreline	KCB, 2022	Low	GISTM	Aug 25	
Australia	Coal	Mangoola	TD2	32°17'42"S, 150°41'34"E	Closed	2011	Centreline	KCB, 2022	Low	GISTM	Aug 25	
Australia	Coal	Mangoola	TD4	32°16'48"S, 150°42'21"E	Active	2017	In-pit TSF	KCB, 2022	Low	GISTM	Aug 25	
Australia	Coal	Mt Owen	Eastern Rail Pit TSF (ERP)	32°25'19"S, 151°06'00"E	Closed	2011	In-pit TSF	KCB, 2022	Low	GISTM	Aug 25	
Australia	Coal	Mt Owen	North Void Stage 2 TSF (NVS2)	32°23'20"S, 151°03'39"E	Closed	2009	Downstream	KCB, 2022	Low	GISTM	Aug 25	
Australia	Coal	Mt Owen	RW Pit	32°23'38"S, 151°04'44"E	Closed	2012	In-pit TSF	KCB, 2022	Low	GISTM	Aug 25	
Australia	Coal	Mt Owen	TP1	32°24'43"S, 151°05'31"E	Closed	2003	Downstream	KCB, 2022	Low	GISTM	Aug 25	

Footnote (1): Our TSF Register includes our TSFs including our TSFs that are in-pit facilities. It excludes tailings that are fully encapsulated within mine material and tailings facilities in safe closure as confirmed by an ITRB or senior independent technical reviewer and signed off by the Accountable Executive. With a view to further transparency with our stakeholders, we have gone beyond the requirements of the GISTM in including our TSFs at our smelters if they have a credible flow failure mode (TSFs at our smelters previously included that in the meantime have been assessed to not have a credible flow failure mode have been removed from the TSF Register).

Footnote (2): Glencore recently closed the acquisition of a 77% interest in Elk Valley Resources (EVR) from Teck Resources. Integrating EVR into the Group will include work to embed Glencore's TSF Framework in the management of EVR's TSFs and we will be completing independent reviews of EVR's TSFs. We will update the previous disclosure of EVR's TSFs once these reviews are completed. In the meantime, our TSF factsheets and our TSF Register do not include EVR's TSFs.

Country	Commodity Department	Site	Name of TSF	Coordinates	Status	Date of Initial Operation	Raising Method	Last Dam Safety Audit	Consequence Classification	Classification System	Planned GISTM Reporting Date	Notes
Australia	Coal	Mt Owen	West Pit	32°25'19"S, 151°05'13"E	Active	2014	In-pit TSF	KCB, 2022	Low	GISTM	Aug 25	
Australia	Coal	Newlands	Ramp 01	21°15'46"S, 147°54'18"E	Closed	2009	In-pit TSF	KCB, 2022	Low	GISTM	Aug 25	
Australia	Coal	Newlands	Ramp 05&6	21°12'36"S, 147°54'32"E	Inactive	2018	In-pit TSF	KCB, 2022	Low	GISTM	Aug 25	
Australia	Coal	Newlands	Ramp 08N	21°09'03"S, 147°54'25"E	Closed	2002	In-pit TSF	KCB, 2022	Low	GISTM	Aug 25	
Australia	Coal	Oaky Creek	A4	23°05'13"S, 148°30'07"E	Active	2014	In-pit TSF	KCB, 2022	Low	GISTM	Aug 25	
Australia	Coal	Oaky Creek	G4	23°05'27"S, 148°27'39"E	Closed	2009	In-pit TSF	KCB, 2022	Low	GISTM	Aug 25	
Australia	Coal	Oaky Creek	G5	23°05'09"S, 148°29'02"E	Closed	2001	In-pit TSF	KCB, 2022	Low	GISTM	Aug 25	
Australia	Coal	Oaky Creek	G6 North	23°04'44"S, 148°29'56"E	Active	2021	In-pit TSF	KCB, 2022	Low	GISTM	Aug 25	
Australia	Coal	Oaky Creek	G6 South	23°04'44"S, 148°29'56"E	Active	1998	In-pit TSF	KCB, 2022	Low	GISTM	Aug 25	
Australia	Coal	Oaky Creek	Oaky Creek TSF (see Notes)	23° 4'38"S, 148°28'24"E	Inactive	1988	Hybrid, Upstream	KCB, 2022	High	GISTM	Aug 25	Includes secondary dams: South Embankment and East Embankment.
Australia	Coal	Ravensworth	Cumnock 1&2 Void	32°24'43"S, 150°59'38"E	Active	Unknown	Centreline	KCB, 2022	Low	GISTM	Aug 25	
Australia	Coal	Ravensworth	Cumnock 3 Void	32°25'30"S, 150°59'27"E	Active	2014	Downstream	KCB, 2022	Significant	GISTM	Aug 25	
Australia	Coal	Ulan	Tailings Storage Facility (see Notes)	32°15'37"S, 149°45'56"E	Active	2008	In-pit TSF	KCB, 2022	Low	GISTM	Aug 25	Ulan TSF is one facility made up of two active cells (TD1 & TD2)
Australia	Coal	West Wallsend	West Wallsend TSF	32°56'49"S, 151°35'40"E	Closed	1983	Downstream	KCB, 2022	Significant	GISTM	Aug 25	
Colombia	Coal	Cerrejon	Cantor Facility (see Notes)	11°06'20"N, 72°38'37"W	Inactive	2005	Downstream	KCB, 2022	Significant	GISTM	Aug 25	The Cantor is one dam with two (2) cells.
Colombia	Coal	Cerrejon	Patilla Norte	11°04'16"N, 72°41'39"W	Active	2021	In-pit TSF	KCB, 2022	Low	GISTM	Aug 25	
South Africa	Coal	Goedgevonden	Goedgevonden TSF	26°5'44"S, 29° 5'5"E	Active	2009	Centreline	KCB, 2024	High	GISTM	Aug 25	
South Africa	Coal	iMpunzi	ATCOM Phoenix Discard Dump TSF (See Notes)	26° 6'20"S, 29°12'59"E	Inactive	1950	Downstream	KCB, 2024	High	GISTM	Aug 25	Renamed to ATCOM Phoenix Discard Dump TSF, previously disclosed as Phoenix TSF.
South Africa	Coal	iMpunzi	South Pit TSF (see Notes)	26° 6'57"S, 29°15'11"E	Active	2015	Downstream	KCB, 2024	High	GISTM	Aug 25	Renamed to South Pit TSF, previously disclosed as ATCOM TSF.
South Africa	Coal	Tweefontein	Boschmans TSF	26° 2'12"S, 29° 7'40"E	Active	2011	Downstream	KCB, 2024	High	GISTM	Aug 25	
South Africa	Coal	Tweefontein	New South Witbank Waste Dump TSF	26° 9'58"S, 29° 8'54"E	Inactive	2005	Downstream	KCB, 2024	High	GISTM	Aug 25	
South Africa	Coal	Tweefontein	New Tavistock Dump TSF	26° 9'6"S, 29°11'19"E	Inactive	2006	Downstream	KCB, 2024	High	GISTM	Aug 25	
South Africa	Coal	Tweefontein	Old Tavistock Dump	26° 8'21"S, 29°11'44"E	Closed (see Notes)	2005	Downstream	KCB, 2024	Low	GISTM	Aug 25	Rehabilitated in January 2019.
Argentina	Copper	Minera Alumbrera	Alumbrera TSF	27°19'55"S, 66°33'50"W	Alumbrera Tailings Storage Facility factsheet							

Country	Commodity Department	Site	Name of TSF	Coordinates	Status	Date of Initial Operation	Raising Method	Last Dam Safety Audit	Consequence Classification	Classification System	Planned GISTM Reporting Date	Notes
Peru	Copper	Antapaccay	Ccamacmayo TSF	14°54'56"S, 71°18'24"W	Closed	1988 (see Notes)	Hybrid (see Notes)	KCB, 2024	High	GISTM	Aug 25	Raising method comprises a rockfill centreline with two final lifts as rockfill upstream raises. Construction of the Ccamacmayo TSF began in 1985 with operation of the TSF beginning in 1988.
Canada	Copper	Heath Steele	Heath Steele TSF	47°16'40"N, 66°04'35"W	Heath Steele Mine Tailings Storage Facility factsheet							
Peru	Copper	Antapaccay	Huinipampa TSF	14°54'56"S, 71°22'21"W	Closed	2002 (see Notes)	Centreline	KCB, 2024	Significant	GISTM	Aug 25	Operation of Huinipampa TSF began in 2002 (previously disclosed as 2004).
Democratic Republic of Congo	Copper	Kamoto Copper Company (KCC)	KITD TSF	10°43'57"S, 25°23'30"E	Inactive (see Notes)	2007	Centreline	KCB, 2024	Low (See Notes)	GISTM	Aug 25	KITD is currently being remedied. A review of the Credible Failure Modes and potential downstream consequences by the Engineer of Record recommended a GISTM Consequence Classification of "Low", which was approved by the Accountable Executive in 2024.
Canada	Copper	Bell	Main Tailings Impoundment (see Notes)	55° 0'11"N, 126°13'56"W	Closed	1970	Downstream	KCB, 2024	Low	GISTM	Aug 25	Includes dam walls: Dam 1, Dam 2, Dam 3, Dam 4, Dam 5, Dam 6.
Canada	Copper	Matagami	Matagami TSF (see Notes)	49°44'19"N, 77°46'13"W	Inactive (see Notes)	1963	Centreline	KCB, 2023	High	GISTM	Aug 25	Includes secondary dams: Lalanne Dyke, Central Dyke, North Freeboard Dyke, West Dyke, North-South Dyke, East-West Dyke, South Dyke. Facility transitioning into closure.
Canada	Copper	Brunswick Mine	Mine 12 Tailings Impoundment (see Notes)	47°29'8"N, 65°53'2"W	Closed	1964	Downstream (see Notes)	KCB, 2023	Significant (See Notes)	GISTM	Aug 25	Includes dam walls: West Dam - North Section, West Dam - South Section, South Dam, East Dam E1, East Dam E2, East Dam E3, North Dam. Information is provided for the highest consequence dam [West Dam (North Section)] in the facility. All other dams have lower consequence classifications and were constructed using upstream methods. A review of the Credible Failure Modes and potential downstream consequences by the Engineer of Record recommended a GISTM Consequence Classification of "Significant", which was approved by the Accountable Executive in 2024.
Democratic Republic of Congo	Copper	Mutanda Mining	Mumi 1 TSF	10°47'30"S, 25°48'29"E	Mumi 1 Tailings Storage Facility factsheet							
Democratic Republic of Congo	Copper	Mutanda Mining	Mumi 3 TSF	10°47'32"S, 25°51'39"E	Mumi 3 Tailings Storage Facility factsheet							
Democratic Republic of Congo	Copper	Kamoto Copper Company (KCC)	Mupine TSF	10°41'59"S, 25°24'7"E	Mupine Pit Tailings Storage Facility factsheet							
Canada	Copper	Granisle Mines	No. 1 Tailings Impoundment	54°56'20"N, 126°10'21"W	Closed	1966	Upstream	KCB, 2024	Low	GISTM	Aug 25	
Canada	Copper	Granisle Mines	No. 2 Tailings Impoundment (see Notes)	54°56'6.97"N, 126° 9'22.37"W	Closed	1968	Downstream	KCB, 2024	Low	GISTM	Aug 25	Includes dam walls: Dam 2, Dam 3, Dam 4, Dam 5.
Canada	Copper	Horne	Noranda 3 TSF	48°15'13"N, 79° 2'50"W	Inactive	1929 (see Notes)	Upstream	KCB, 2023	High	GISTM	Aug 25	Operation of the Noranda 3 TSF began in 1929 (previously disclosed as 1947).
Canada	Copper	Horne	Noranda 4 TSF	48°14'00"N, 79° 4'35"W	Inactive	1947	Downstream	KCB, 2024	Significant	GISTM	Aug 25	
Canada	Copper	Horne	Noranda 5 TSF	48°13'25"N, 79° 5'13"W	Noranda 5 Tailings Storage Facility Factsheet							
Chile	Copper	Altonorte	Process pond	23°48'22"S, 70°20'41"W	Active	2002 (see Notes)	Downstream	KCB, 2022	Significant	GISTM	Aug 25	Construction of the process pond began in 1999 with operation of the TSF beginning in 2002.
Canada	Copper	Horne	Quémont-2 TSF (see Notes)	48°16'16"N, 78°59'11"W	Active	1949	Upstream, Downstream, Centerline, Unknown	KCB, 2023	High	GISTM	Aug 25	Includes dam walls: A, AB, B, C, D, E, F, G.
Canada	Copper	Bell	Tailings Extension (see Notes)	55° 0'11.14"N, 126°13'56.39"W	Closed	1980	Downstream	KCB, 2024	Low	GISTM	Aug 25	Includes dam walls: Dam 7, Dam 8.

Country	Commodity Department	Site	Name of TSF	Coordinates	Status	Date of Initial Operation	Raising Method	Last Dam Safety Audit	Consequence Classification	Classification System	Planned GISTM Reporting Date	Notes
USA	Copper	Blackbird	Tailings Storage Facility	45° 5'29"N, 114°18'34"W	Closed	1950	Upstream	KCB, 2023	Significant	GISTM	Aug 25	
USA	Copper	Grey Eagle	Tailings Storage Facility	41°51'49"N, 123°22'28"W	Closed	1982	Downstream	KCB, 2024	Significant	GISTM	Aug 25	
Canada	Copper	Boss Mountain Mine	Tailings Storage Facility (see Notes)	52° 5'35"N, 120°52'10"W	Closed	1977	Downstream	KCB, 2024	Significant (see Notes)	GISTM	Aug 25	Includes dam walls: Main Dam, North Tailings Berm. A review of the Credible Failure Modes and potential downstream consequences by the Engineer of Record recommended a GISTM Consequence Classification of "Significant", which was approved by the Accountable Executive in 2024.
Canada	Copper	Brenda Mine	Tailings Storage Facility (see Notes)	49°51'35"N, 119°57'5"W	Closed	1968 (see Notes)	Centreline	KCB, 2023	Low	GISTM	Aug 25	Includes dam walls: Main Dam, Saddle Dam. Operation of Brenda TSF began in 1968.
Canada	Copper	Geco	Tailings Storage Facility (see Notes)	49° 9'47"N, 85°46'20"W	Closed	1955	Upstream (see Notes)	KCB, 2023	High	GISTM	Aug 25	Includes dam walls: CP Dam, CN1 Dam, CP 3 Dam, Red Pond (RP) Dam, CN2 Dam, E1-E2 Dam, E3 Dam. CP Dam, CN1 Dam and CP3 Dam were raised using upstream methods. Red Pond Dam, CN2 Dam, E1-E2 Dam and E3 Dam were raised using centreline methods.
Canada	Copper	Mattabi	Tailings Storage Facility (see Notes)	49°52'6"N, 90°57'1"W	Closed	1971	Upstream	KCB, 2023	High	GISTM	Aug 25	Includes dam walls: Main Dam, East Tailings Dam, South Tailings Dam.
Canada	Copper	Willroy	Tailings Storage Facility (see Notes)	49° 9'56"N, 85°49'47"W	Closed	1950	Upstream	KCB, 2023	High	GISTM	Aug 25	Includes dam walls: Dam D/G, Dam E, Dam F.
Peru	Copper	Antapaccay	Tintaya Pit TSF	14°54'16"S, 71°19'29"W	Active	2012	Downstream	KCB, 2024	Significant	GISTM	Aug 25	
South Africa	Ferroalloys	Boshhoek Chrome Smelter	Boshhoek Smelter TSF 1	25°29'12"S, 27° 6'55"E	Inactive (see Notes)	2005	Downstream	KCB, 2023	Significant	GISTM	Aug 25	Deposition ceased in February 2022 and currently in decommissioning phase.
South Africa	Ferroalloys	Boshhoek Chrome Smelter	Boshhoek Smelter TSF 2	25°29'20"S, 27° 6'60"E	Active (see Notes)	2022	Downstream	KCB, 2023	High	GISTM	Aug 25	Facility commissioned in February 2022. 8.5m is the design height but the tailings inside the facility are approximately 1.3 m high.
South Africa	Ferroalloys	Kroondal Mine	Kroondal Mine TSF	25°42'38.8"S, 27°19'11"E	Kroondal Mine Tailings Storage Facility factsheet							
South Africa	Ferroalloys	Lion Chrome Smelter	Lion Smelter TSF (see Notes)	24°49'20"S, 30° 7'1"E	Active	2006	Upstream	KCB, 2023	High	GISTM	Aug 25	Includes secondary dams: Cell 1, Cell 2 and 3.
South Africa	Ferroalloys	Lydenburg Chrome Smelter	Lydenburg Smelter TSF	25° 4'3"S, 30°28'12"E	Inactive (see Notes)	1997	Upstream	KCB, 2023	Significant (see Notes)	GISTM	Aug 25	The plant has been in care and maintenance since 2020. A review of the Credible Failure Modes and potential downstream consequences by the Engineer of Record recommended a GISTM Consequence Classification of "Significant", which was approved by the Accountable Executive in 2024.
South Africa	Ferroalloys	Rhovan	Rhovan TSF	25°33'55"S, 27°34'36"E	Rhovan Tailings Storage Facility factsheet							
South Africa	Ferroalloys	Rietvly Silica Mine	Rietvly TSF	25°37'47"S, 27° 7'59"E	Active	2017	Upstream	KCB, 2023	High	GISTM	Aug 25	
South Africa	Ferroalloys	Rustenburg Chrome Smelter	Rustenburg Smelter TSF (see Notes)	25°36'56"S, 27°13'30"E	Active	1989	Upstream	KCB, 2023	Significant	GISTM	Aug 25	Includes secondary dams: dam 1, 2, 3 and 4. Only dam 4 is operational.
South Africa	Ferroalloys	Rustenburg Chrome Smelter	Rustenburg Smelter TSF B	25°37'13"S, 27°13'17"E	Inactive	1988	Upstream	KCB, 2023	Low	GISTM	Aug 25	
South Africa	Ferroalloys	Thornccliffe Chrome Mine	Thornccliffe TSF	24°57'38"S, 30° 7'29"E	Active	2017	Upstream	KCB, 2023	High	GISTM	Aug 25	
South Africa	Ferroalloys	Waterval Mine	Waterval Mine East TSF	25°41'5"S, 27°16'8"E	Closed (see Notes)	1989	Upstream	KCB, 2023	Low	GISTM	Aug 25	Remining of the tailings commenced in October 2021 and scheduled for completion in 2024.
South Africa	Ferroalloys	Wonderkop Chrome Smelter	Slimes 1	25°42'57"S, 27°24'18"E	Inactive	1997	Upstream	KCB, 2023	High	GISTM	Aug 25	
South Africa	Ferroalloys	Wonderkop Chrome Smelter	Slimes 2, 3 & 4 (see Notes)	25°43'5"S, 27°24'12"E	Active (see Notes)	2004	Upstream	KCB, 2023	High	GISTM	Aug 25	Includes secondary dams: Slimes Dam 2, Slimes Dam 3 and Slimes Dam 4. Slimes Dam 4 is active with Slimes Dam 2 inactive since 2013 and Slimes Dam 3 inactive since 2023.

Country	Commodity Department	Site	Name of TSF	Coordinates	Status	Date of Initial Operation	Raising Method	Last Dam Safety Audit	Consequence Classification	Classification System	Planned GISTM Reporting Date	Notes
Australia	Nickel	Murrin Murrin	Murrin Murrin In-pit TSFs	Various	Various	Various	In-pit TSFs	KCB, 2024	Low	GISTM	Aug 25	Includes the following in-pit facilities: IPTSF 17, IPTSF 2/2-2/4, IPTSF 8/4, IPTSF 8/5-9/4, IPTSF 9/2, IPTSF 9/5, IPTSF2/3, IPTSFS 18/3, IPTSFS 18/6.
Australia	Nickel	Murrin Murrin	Murrin Murrin Paddock TSF	28°46'8"S, 121°55'3"E	Murrin Murrin Paddock Tailings Storage Facility factsheet							
Canada	Nickel	Nickel Rim South	Nickel Rim TSF (See Notes)	46°40'10"N, 80°48'14"W	Inactive	1946 - 2003 (see Notes)	Centreline	KCB, 2023	High	GISTM	Aug 25	Includes tailings management area structures: Northeast Dam and Moose Collection Pond Dam. Tailings deposition at Nickel Rim North Mine began in 1946. No tailings deposition from Nickel Rim South Mine.
Canada	Nickel	Raglan	Raglan Mine Dry Stack TSF	61°41'49"N, 73°38'41"W	Active	1998	Filtered	KCB, 2023	Significant	GISTM	Aug 25	
Canada	Nickel	Strathcona Mill	Hardy TSF (see Notes)	46°38'11"N, 81°24'19"W	Inactive	1955	Upstream	KCB, 2023	High	GISTM	Aug 25	Includes tailings management area structures: Lower Tailings Dam, Upper Tailings Dam and Main Pyrrhotite Pond Dam.
Canada	Nickel	Strathcona Mill	Longvack TSF	46°38'12"N, 81°24'19"W	Inactive	1967	Upstream	KCB, 2023	Significant	GISTM	Aug 25	
Canada	Nickel	Strathcona Mill	Strathcona/Onaping TSF (see Notes)	46°37'56"N, 81°22'54"W	Active	1959 - 2005 (see Notes)	Centreline	KCB, 2023	High	GISTM	Aug 25	Includes: Strathcona Tailings Dams 3A & 3B, West Morgan Lake Dam, Fecunis Tailings Main Dam, Fecunis Tailings Saddle Dam, Narrows Dam and Cranberry WRMA Dams A, B & C. Tailings deposition started with Fecunis Mill in 1959. Strathcona tailings deposition started in 1968 to the Longvack Mine site and then in 1970 to the current general area. There are no containment raises planned due to existing designed long term capacity.
Canada	Nickel	Sudbury Smelter	Smelter Complex TSF (see Notes)	46°35'33"N, 80°46'59"W	Inactive	1933 - 1946 (see Notes)	Centreline, Upstream	KCB, 2023	High	GISTM	Aug 25	Includes: Dam 1, Dam 12, East Mine Tailings Dam, South Dam, Dam 5, Dam 6, Dam 7 and Dam 7A. Tailings deposition started with Falconbridge Mill in 1933. East Mine Tailings deposition started in 1946.
Australia	Zinc	George Fisher Mine	George Fisher Tailings Dam	20°33'33"S, 139°27'53"E	Inactive (see Notes)	1989	Downstream	KCB, 2022	High (see Notes)	GISTM	Aug 25	Facility used to manage water only with no current tailings deposition. Each structure within the facility is categorised following ANCOLD and GISTM methodologies, The George Fisher Tailings Dam has been assigned High B (ANCOLD) and High (GISTM) consequence classifications.
Australia	Zinc	McArthur River Zinc Mine	McArthur River Mine TSF	16°24'58"S, 136°3'45"E	McArthur River Mine Tailings Storage Facility factsheet							
Australia	Zinc	Mount Isa Mines	Mount Isa Mines TSF	20°45'8.10"S, 139°27'10"E	Mount Isa Mines Tailings Storage Facility factsheet							
Australia	Zinc	Mount Isa Mines	TD 1-2	20°43'10"S, 139°28'53"E	Closed	1931	Unknown	KCB, 2023	Low	GISTM	Aug 25	
Canada	Zinc	CEZinc	Ferrite (see Notes)	45°13'43"N, 74°6'32"W	Active	1970 - 1973	Downstream	KCB, 2022	High	GISTM	Aug 25	Includes secondary dams: West, North, South.
Canada	Zinc	CEZinc	Jarosite (see Notes)	45°14'05"N, 74°7'39"W	Active	1977 - 1990	Downstream	KCB, 2022	High	GISTM	Aug 25	Includes dam walls: North, North-East, North-West.
Canada	Zinc	CEZinc	UNA (see Notes)	45°14'7"N, 74°6'15"W	Active	1966	Upstream	KCB, 2022	High	GISTM	Aug 25	Includes dam walls: North-West, South.
Canada	Zinc	Kidd Operations	Jarosite Pond	48°32'35.33"N, 81°5'48.73"W	Closed	1973	Centreline	KCB, 2024	Significant (see Notes)	GISTM	Aug 25	The GISTM Consequence Classification is being reviewed by the Engineer of Record based on the Credible Failure Modes and potential downstream consequences.
Canada	Zinc	Kidd Operations	Kidd TSF (see Notes)	48°33'29"N, 81°6'25"W	Active	1966 - 2001	Centreline	KCB, 2024	High	GISTM	Aug 25	This includes the Perimeter Dyke, internal berms, water retaining ponds (Pond A, C, D, E). Includes Secondary Dams: West Dam, West Dam, West Dam, North Dam, South Dam, Dyke.
Kazakhstan	Zinc	Altay Concentrator	Altay TSF (formerly Zyryanovsky)	49°46'57"N, 84°19'17"E	Altay Tailings Storage Facility factsheet							

Country	Commodity Department	Site	Name of TSF	Coordinates	Status	Date of Initial Operation	Raising Method	Last Dam Safety Audit	Consequence Classification	Classification System	Planned GISTM Reporting Date	Notes
Kazakhstan	Zinc	Altyntau Kokshetau	Altyntau-Kokshetau TSF	53°24'39"N, 69°11'34"E	Active	2009	Upstream	KCB, 2023	High	GISTM	Aug 25	
Kazakhstan	Zinc	Ridder	Chashinsky TSF	50°21'46"N, 83°35'49"E								Chashinsky Tailings Storage Facility factsheet
Kazakhstan	Zinc	Ridder	Talovsky TSF	50°23'46"N, 83°35'19"E								Talovsky Tailings Storage Facility factsheet
Kazakhstan	Zinc	Ridder	Tishinsky TSF	50°15'36.99"N, 83°21'26.22"E	Inactive	1982	Downstream	KCB, 2023	Significant (see Notes)	GISTM	Aug 25	The GISTM Consequence Classification is being reviewed by the Engineer of Record based on the Credible Failure Modes and potential downstream consequences.
Kazakhstan	Zinc	Zhairem Mining and Concentrating Complex	Flotation TSF	48°13'18"N, 70°15'33"E	Active	2021	Centreline	KCB, 2023	Significant	GISTM	Aug 25	
Kazakhstan	Zinc	Zhairem Mining and Concentrating Complex	Lead Gravity Concentrator TSF	48°17'36"N, 70°12'59"E	Inactive (see Notes)	2000	Downstream	KCB, 2023	Significant	GISTM	Aug 25	Production was suspended in 2020, slime settler cells were cleaned of slime, and there are currently no tailings discharges.
Kazakhstan	Zinc	Zhairem Mining and Concentrating Complex	Zhairem Slime Stack	48° 18' 10"N, 70° 13' 2"E	Inactive	2019	Drystack	KCB, 2023	Low	GISTM	Aug 25	